



LED Dimmable A-Lamps

15,000 Hour • Omni-Directional

High efficiency A-Lamps. Light output in all directions to suit many applications.

Limitless options for the following applications:

- General Lighting
- Floor Lamps
- Ceiling Fixtures
- Table Lamps
- Sconces

Great features and benefits:

- Energy efficient: up to 85% more efficient than incandescent alternatives
- Smooth, uniform dimming
- Long life: 15,000 hours
- Similar look and feel as incandescent alternative
- Excellent color consistency
- Available in 2700K, 3000K, 4000K and 5000K
- Fits any installations where a standard A-lamp is used



A19



A21



LED
we know light.™



LED Dimmable A-Lamps

15,000 Hour • Omni-Directional

| | |
|------------|--|
| LED | 15,000 hours average rated life, 120 volts |
|------------|--|


Applications:

Ideal for applications where uniform multi-directional light output is required.

- + Table Lamps
- + Floor Lamps
- + Sconces
- + Ceiling Fixtures
- + Decorative Fixtures



| Features | Benefits |
|---|--|
| Up to 85% less energy than halogen alternatives | Instant energy savings |
| Long life | Minimizes replacement and maintenance costs |
| Very low heat generation | Perfect for sensitive display lighting such as art galleries |
| Excellent color consistency and CRI | Enhances colors of focal point while maintaining uniformity throughout lighting installation from lamp to lamp |
| UL approved for damp location | Can be used outdoors when protected from elements — withstands humidity indoors/outdoors |
| Shatter resistant | Lower the risk of injury and breakage |
| ANSI construction compliant | Fits all A-lamp installations |
| 9W rated for totally enclosed fixtures | Can be used in totally enclosed luminaires |



Specifications

| | |
|------------------------|------------|
| Input Line Voltage: | 120 VAC |
| Input Power | See Chart |
| Input Line Frequency | 50/60HZ |
| Lamp Life (Rated) | 15,000 hrs |
| Minimum Starting Temp | -30°C |
| Maximum Operating Temp | 40°C |
| CRI | 80 |



A19 A-Lamp

A21 A-Lamp

| Warranty | Item # | Description | Energy Star [®] RATED | Voltage | Wattage | Incandescent/Halogen Wattage Comparison | Lumens | LPW | CCT | CRI | M.O.L. (inches) | Diameter (inches) | Enclosed/Recessed Luminaire | |
|------------------------|-----------------------|-----------------------|--------------------------------|---------|---------|---|--------|-------|-------|-----|-----------------|-------------------|-----------------------------|--|
| 3 YEAR WARRANTY | LED A19 Lamps | | | | | | | | | | | | | |
| | LED9A19D27K | LED 9W A19 DIM 2700K | * | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.2 | 2.4 | Y | |
| | LED9A19D30K | LED 9W A19 DIM 3000K | * | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.2 | 2.4 | Y | |
| | LED9A19D41K | LED 9W A19 DIM 4000K | * | 120 | 9 | 60 | 850 | 94.4 | 4000K | 80 | 4.2 | 2.4 | Y | |
| | LED9A19D50K | LED 9W A19 DIM 5000K | * | 120 | 9 | 60 | 850 | 94.4 | 5000K | 80 | 4.2 | 2.4 | Y | |
| | LED A21 Lamps | | | | | | | | | | | | | |
| | LED15A21D27K | LED 15W A21 DIM 2700K | * | 120 | 15 | 100 | 1600 | 106.7 | 2700K | 80 | 5.2 | 2.7 | N | |
| | LED15A21D30K | LED 15W A21 DIM 3000K | * | 120 | 15 | 100 | 1625 | 108.3 | 3000K | 80 | 5.2 | 2.7 | N | |
| LED15A21D41K | LED 15W A21 DIM 4000K | * | 120 | 15 | 100 | 1650 | 110.0 | 4000K | 80 | 5.2 | 2.7 | N | | |
| LED15A21D50K | LED 15W A21 DIM 5000K | * | 120 | 15 | 100 | 1650 | 110.0 | 5000K | 80 | 5.2 | 2.7 | N | | |

For the most up-to-date specs, please visit www.tcp.com








LED Dimmer Compatibility

| NO # | BRAND | FAMILY | MODEL # | LOAD TYPE | LOAD TYPE | RATED LOAD | CUT PHASE | OMNI | OMNI |
|------|---------|------------------|----------------|--|-----------|------------|---------------|----------|-----------|
| | | | | | | | | A19 60WE | A19 100WE |
| 1 | Leviton | Sureslide | 06674-POB | LED and CFL/600-Watt Incandescent Dimmer | R/L/C | 150W | Forward Phase | ① | ① |
| 2 | Leviton | Sureslide | 06672-1LT | LED/CFL Incandescent Slide-To-Off Dimmer | R/L/C | 150W | Forward Phase | ③ | ① |
| 3 | Leviton | Sureslide | 06631-1LT | Single-Pole Incandescent Slide Dimmer | R | 600W | Forward Phase | ① | ① |
| 4 | Leviton | Sureslide | 06633-PLI | Preset Incandescent Dimmer, Single Pole or 3-Way | R | 600W | Forward Phase | ① | ① |
| 5 | Leviton | Vizia | VPI06-1LZ | 120 VAC LED Locator Single-Pole and 3-Way IllumaTech Preset Slide Dimmer | C | 600W | Forward Phase | ① | ① |
| 6 | Leviton | Decora Sureslide | IPL06 | LED/CFL Universal Dimmer | R/L/C | 150W | Forward Phase | ① | ① |
| 7 | Lutron | Diva | DVCL-153P | CFL/LED Dimmer | R/C | 150W | Forward Phase | ① | ① |
| 8 | Lutron | Skylark | SCL-153PR | CFL/LED Dimmer | R/C | 150W | Forward Phase | ① | ① |
| 9 | Lutron | Maestro | MACL-153M | CFL/LED Digital Dimmer | R/C | 150W | Forward Phase | ① | ① |
| 10 | Lutron | Contour | TGCL-153PM | CFL/LED Dimmer | R/C | 150W | Forward Phase | ① | ① |
| 11 | Lutron | Contour | DV-600P | Incandescent | R | 600W | Forward Phase | ① | ① |
| 12 | Lutron | Diva | DVIV-600P | Incandescent | R | 600W | Forward Phase | ① | ① |
| 13 | Lutron | Diva | DVELV-303P | Incandescent | R | 300W | Forward Phase | ③ | ① |
| 14 | Lutron | Contour | CTCL-153PDH-WH | CFL/LED | R/C | 150W | Forward Phase | ① | ① |
| 15 | Lutron | Skylark | S-600P-WH | Incandescent | R | 600W | Forward Phase | ① | ① |
| 16 | Cooper | ASPIRE | ASPIRE-9530 | Incandescent | R | 600W | Forward Phase | ① | ① |
| 17 | Cooper | ASPIRE | 9573 | LED/CFL/INC Full Slide Dimmer | R/L/C | 300W | Forward Phase | ① | ① |

- ① Professional, full range has perfect performance
- ② Good, has issue in some points but likely not an issue to typical consumer
- ③ Underperforming, flicker and buzzing

LOAD TYPE

- R type load:** GLS, HV Halogen 
- L type load:** LV Halogen with magnetic transformer 
- C type load:** LV Halogen with electronic transformer 

*Information above is to be considered as guidance

Visit www.tcp.com for the most up-to-date dimmer compatibility.



CREATING BEAUTY

TCP has a **20-year history in energy-efficient lighting.**

Thanks to our **cutting edge technology** and manufacturing

expertise, we have shipped billions of high quality lamps. Our

integrated technology and **manufacturing** provides

expedited time-to-market. With TCP, you can count on

unique lighting products designed to meet very specific needs—lighting that

transforms your surroundings and envelopes you in warmth—**lighting**

that generates beauty with every flip of the switch.

LED

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516